



KLEERMOUNT IN TOLUENE

Revised: 03/06/2010
Replaces: 11/23/2009
Printed: 03/06/2010

Carolina Biological Supply Company

2700 York Rd | Burlington, NC 27215 • to order: 800.334.5551 • for support: 800.227.1150

CAROLINA
www.carolina.com

Section 1 - Product Description

Product Name: Kleermount in Toluene (Discontinued)
Product Code(s): 87-1321, 87-1323, 87-1325 (all discontinued)
Size: 25 mL, 100 mL, 500 L
Chemical Name: N/A
CAS Number: N/A
Formula: See section 2
Synonyms: N/A
Distributor: Carolina Biological Supply Company, 2700 York Road, Burlington, NC 27215
Chemical Information: 800-227-1150 (8am-5pm (ET) M-F) **Chemtrec** 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 - Composition / Information on Ingredients

Principal Hazardous Components: Toluene (CAS#108-88-3) 44%
TLV units: ACGIH-TLV 20 ppm (TWA)
PEL units: OSHA-PEL 200 ppm (TWA) 300 ppm ceiling

Section 3 - Hazard Identification

Emergency Overview: In use, may form flammable/explosive vapour-air mixture. Flammable. Toxic if swallowed. Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Potential Health Effects:

Eyes: May cause irritation.

Skin: May cause irritation to skin.

Ingestion: May cause gastrointestinal discomfort.

Inhalation: May cause irritation to respiratory tract.

Section 4 - First Aid Measures

Emergency and First Aid Procedures:

Eyes - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin - After contact with skin, wash immediately with plenty of ... (Water, unless specified as water-reactive).

Ingestion - If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Inhalation - In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Section 5 - Firefighting Procedures

Flash Point (Method Used): 4°C

NFPA Rating:

Health: 2

Fire: 3

Reactivity: 0

Extinguisher Media: Use dry chemical, CO₂ or appropriate foam.

Flammable Limits in Air % by Volume: LEL 1.1 UEL 7.1

Autoignition Temperature: 536°C

Special Firefighting Procedures: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards: Vapours may travel back to ignition source. Closed Containers exposed to heat may explode.

Section 6 - Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled: Ventilate area of spill. Eliminate all sources of ignition. Remove all non-essential personnel from area. Clean-up personnel should wear proper protective equipment and clothing. Absorb material with suitable absorbent and containerize for disposal.

Section 7 - Special Precautions

Precautions to Take in Handling or Storing: Keep container tightly closed in a cool, well-ventilated place. This material should be kept in an area suitable for the storage of flammable liquids.

Section 8 - Protection Information

Respiratory Protection (Specify Type): None needed under normal conditions of use with adequate ventilation. A NIOSH/MSHA chemical cartridge respirator should be worn if PEL or TLV is exceeded.

Ventilation:

Local Exhaust: Yes

Mechanical(General): Yes

Special: No

Other: No

Protective Gloves: Natural rubber, Neoprene, PVC or equivalent.

Eye Protection: Splash proof chemical safety goggles should be worn.

Other Protective Clothing or Equipment: Lab coat, apron, eye wash, safety shower.

Section 9 - Physical Data

Molecular Weight: N/A

Boiling Point: 110.5 °C

Vapor Density(Air=1): 3.1 (Toluene)

Percent Volatile by Volume: 44%

Solubility in Water: Slightly Soluble

Melting Point: -95°C (Toluene)

Vapor Pressure: 30 hPa @ 20°C (Toluene)

Specific Gravity (H₂O=1): N/A

Evaporation Rate (BuAc=1): N/A

Appearance and Odor: Clear, thick liquid; characteristic odor of

airplane glue.

Section 10 - Reactivity Data

Stability: Stable

Conditions to Avoid: Heat and sources of ignition.

Incompatibility (Materials to Avoid): Oxidizers,

Hazardous Decomposition Products: Hydrocarbons, CO_x,

Hazardous Polymerization: Will not occur

Section 11 - Toxicity Data

Toxicity Data: skn-rabbit LD50 12,124 mg/kg

orl-rat LD50 5000 mg/kg

Effects of Overexposure:

Acute: See section 3

Chronic: Not listed as a carcinogen by IARC, NTP or OSHA.

Conditions Aggravated by Overexposure: Skin disorders, Liver disorders, Respiratory disorders,

Target Organs: Central Nervous System, Respiratory system, Kidneys, Liver,

Primary Route(s) of Entry: Inhalation, ingestion, eye or skin contact.

Section 12 - Ecological Data

EPA Waste Numbers: D001 U220

Section 13 - Disposal Information

Waste Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Section 14 - Transport Information

DOT Proper Shipping Name: ***24 mL bottle qualifies as a small quantity exception.***

UN1294, Description: Toluene solutions, 3, II

Section 15 - Regulatory Information

EPA TSCA Status: On TSCA Inventory

Hazard Category for SARA Section 311/312 Reporting: Acute

Name List:

Toluene - Yes

Chemical Category:

Toluene - No

CERCLA Section 103 RQ(lb.): Toluene - 1000

RCRA Section 261.33: Toluene - No

Section 16 - Additional Information

The information provided in this Material Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the Material Safety Data Sheet. Any employer must carefully assess the applicability of any information contained herein in regards to the particular use to which the employer puts the material.

Glossary

ACGIH American Conference of Governmental Industrial Hygienists

CAS Number Chemical Services Abstract Number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

DOT U.S. Department of Transportation

IARC International Agency of Research on Cancer

N/A Not Available

Product Name: KLEERMOUNT IN TOLUENE

Page
3 of 4

NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
ppm	Parts per million
RCRA	Resource Conservation and Recovery Act
SARA	Superfund Amendments and Reauthorization Act
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act